

Amendments to the Claims:

Please cancel claims 3, 5-7 and 9, without prejudice, and amend claims 1, 8, 10-14 and 18, as shown in the following listing of claims:

Listing of Claims:

1. (Currently amended) A method of reducing the viability of a tumor cell, comprising administering to the tumor cell a-an attenuated strain of vesicular stomatitis virus, wherein ~~said virus is not a common human pathogen and said tumor cell is a~~ carcinoma.
2. (Original) The method of claim 1, wherein the carcinoma is a lung carcinoma.

Claim 3 (cancelled).

4. (Original) The method of claim 1, wherein the tumor cell is PKR-/-; STAT1-/-; or both PKR-/- and STAT1-/-.

Claims 5-7 (cancelled).

8. (Currently amended) The method of claim 71, wherein the virus is unable to inactivate PKR activity within the tumor cell.

Claim 9 (cancelled).

10. (Currently amended) The method of claim 91, wherein the virus is vesicular |
stomatitis virus strain M1.

11. (Currently amended) The method of claim 91, wherein the virus is vesicular |
stomatitis virus strain M2.

12. (Currently amended) The method of claim 91, wherein the virus is vesicular |
stomatitis virus strain M3.

13. (Currently amended) The method of claim 91, wherein the virus is vesicular |
stomatitis virus strain M4.

14. (Currently amended) The method of claim 91, wherein the virus is vesicular |
stomatitis virus strain M5.

15. (Original) The method of claim 1, wherein the tumor cell is in a mammalian
subject and the virus is administered to the tumor cell by intravenous, intranasal,
intraperitoneal or intratumoral administration to the subject.

16. (Original) The method of claim 15, wherein the mammalian subject is a
human or a non-human mammal.

17. (Original) The method of claim 15, wherein the virus is contained in cell line infected with the virus and the administration comprises administering the virus-infected cell line to the subject by a route selected from intratumorally, intravenously or intraperitoneally.

18. (Currently amended) A method of reducing the viability of a tumor cell within a population of tumor cells and non-tumor cells comprising administering ~~a-an attenuated strain of vesicular stomatitis virus~~ to the population of cells, wherein tumor cells are carcinoma cells and the virus is able to selectively infect and kill the tumor cell.

19. (Original) The method of claim 18, wherein the virus is unable to inactivate PKR activity in the tumor cell.

20. (Original) The method of claim 19, further comprising treating the population of cells with interferon prior to administering the virus.